

Q. Which one of the following is the pathway to increase productivity in agriculture ?

- 1) Efficient irrigation
- 2) Quality seeds
- 3) Use of pesticides
- 4) None of the above/More than one of the above

ANS: 4

Q. Koter spot disease of turnip is caused due to the deficiency of -

- 1) Calcium (Ca)
- 2) Zink (Zn)
- 3) Sulphar (S)
- 4) Iron (Fe)

ANS: 1

Q. Little leaf disease of mango and brinjal is caused due to the deficiency of -

- 1) Calcium (Ca)
- 2) Iron (Fe)
- 3) Zinc (Zn)
- 4) Sulphar (S)

ANS: 3

Q. "Pusha RH-10" is a hybrid variety of -

- 1) Wheet
- 2) Basmati Rice
- 3) Bajra (millets)
- 4) Sugarcane

ANS: 2

Q. The most popular fertilizer for foliar application is -

- 1) Potassium
- 2) Phospate
- 3) Urea
- 4) Ammonium

ANS: 3

Q. "COJ-64" and "CO-7717" are early maturing varieties of -

- 1) Rice
- 2) Wheat
- 3) Millets
- 4) Sugarcane

ANS: 4

Q. Which of the following fruits is not a nut?

- 1) Coconut
- 2) Litchi
- 3) Betel nut
- 4) Groundnut

ANS: 2

Q. The soils which have supported agriculture for centuries without much manuring or fallowing are -

- 1) alluvial and laterite soils
- 2) red and laterite soils
- 3) black and alluvial soils
- 4) laterite and black soils

ANS: 3

Q. Black soils is ideal for cultivation of cotton as -

- 1) its colour is black
- 2) it can retain moisture
- 3) it is made up of lava
- 4) it is found on plateau regions

ANS: 2

Q. 'Small Farmers' are those whose landholdings are -

- 1) above five hectare
- 2) below one hectare
- 3) betwen four to ten hectare
- 4) between one to two hectare

ANS: 4